

Force gauge attachment


IMADA CO.,LTD. 1/5

Attachments

Standard capacity model attachments



Heavy capacity model attachments



[Remark]

- They are various testing attachments for Imada's force gauges.
- They are soled separately for your requirements.
- All information is subject to change without prior notice.

February, 2009

[Specifications]

Model	S series (Note 1) [for standard force gauge]	B series [for high capacity force gauge]
Capacity	S-1 to 6 : 1000N (Note 2) S-7 : 1000N S-8 : 1000N	B-1 to 8 : 5000N
Mounting screw	M6 (Female)	M10 P1.5 (Female)
Dimension	Refer to the dimensional drawing	
Weight	Refer to the dimensional drawing	
Recommended force gauge	PS/FB/DS2/ZP/Z2 series 200N to 1000N	PSH/DPSH/ZPH/Z2H series 1000N to 5000N

Note 1)

A series attachments, whose capacity is no more than 100N, are also available (Refer to the dimensional drawings on Page 5). Contact to Imada for your inquiry.


Note 2)

The capacity of S-1 (M6 Female) is 500N. SR-1 (capacity: 1000N) is available. Please contact us for this model.

Note 3)

All information is subject to change without prior notice.


February, 2009



[SR-1] Small Hook
19 g


[Dimensional drawing]

S series




[S-1] Small Hook

13 g




[S-2] Flat Tip

13 g




[S-3] Conical Tip

10 g




[S-4] A type

11 g




[S-5] V type

11 g




[S-6] Extension Shaft

27 g



[S-7] Large Hook


44 g




[S-8] Y Hook

58 g


B series




[B-1] Small Hook
59 g




[B-2] Flat Tip
29 g




[B-3] Conical Tip
33 g




[B-4] Chisel Tip
38 g




[B-5] Notched Tip
38 g



[B-6] Extension Shaft
102 g




[B-7] Handle




[B-8] Mounting bolts


A series *Aluminum attachments for the force gauges whose capacities are no more than 100N.




[A-1] Small Hook
3.1g




[A-2] Flat Tip
2.7g




[A-3] Conical Tip
1.8g




[A-4] Chisel Tip
1.9g




[A-5] Notched Tip
1.9g



[A-6] Extension Shaft
7.1g



[A-7] Large Hook
7.0g



[A-8] Y Hook
8.8g