

Test stand

MX-500N Motorized Test Stand



(Photo is MX-500N-E. Force gauge and speed/length meter are option.)

[Applications]

- Various material testing up to 500N
(measuring of tensile strength, compressive strength, shearing strength and etc).
- Analysis of mechanical parts for break point and free fit.

[Features]

- Stable measuring by feed screw features with small step of the travel length.
- Suitable for Imada brand digital and mechanical force gauges.
- Overload protection and force control connecting with digital force gauge (MX series only)
- Optional scale unit implements scaling its travel length.

MX-500N
Updated on April 4, 2014

[MX-500N/MV-500NII series models]

Stroke	Scale unit*	Speed/Length Meter**	MX-500N Series	Capacity
Normal			MX-500N	500N
		Attached	MX-500N-E	500N
	Attached		MX-500N-S	500N
Long stroke			MX-500N-L	250N
		Attached	MX-500N-E	250N
	Attached		MX-500N-S-L	250N

* Resolution: 0.01mm, Zero / Origin. Attached at factory, cannot be attached by customers.

** Resolution: 0.01mm, Attached at factory, cannot be attached by customers.

Model number will be followed with below suffixes when you specify speed range.

Suffix	Speed range	Capacity
-WF	40 – 1200 mm/min	100N
-F	20 – 600 mm/min	250N
-O	2 – 60 mm/min	500N 250N (Long stroke)

[MX-500N series specifications]


Model	MX-500N
Capacity	500N (Normal) 250N (Long stroke)
Stroke	Approx. 285mm (Normal) Approx. 485mm (Long stroke)
Feeding method	Feed screw with 3mm lead
Travel speed	10 to 300 mm/min non-step (No specified)
Table	150 x 100 mm, (Aluminum / Stainless plate cover)
Force gauge	Imada mechanical / digital force gauge (Except high capacity models)
Single/Continuous cycle	Yes
Overload protection	Yes *0
Force control	
Dimensions	See dimensions
Wight	Approx. 13kg
Accessories	Grip mount GF-1 (M6 thread)

*0 Optional cable CB-501 is necessary for connection with force gauge. Some model of force gauge is not compatible with this function.

MX-500N


Updated on April 4, 2014

[Dimensions]



Dimension H(mm)

Model	H	T
MX-500N(-S)	573	285
MX-500N(-S)-L	773	485
MX-500N-E	633	285
MX-500N-E-L	833	485



[Note]

- Force gauge is not included with this test stand.
- Various optional attachments are available.
- "Overload protection" does NOT completely avoid every failure of the gauge.
- Please do not apply the load exceeding force of capacity.
- Please avoid rapid temperature change, high humidity, the water, the dust, and the strong shock.
- It may change without a preliminary announcement for improvement etc.

MX-500N
Updated on April 4, 2014